

ولتاژ (V)	عمق×ارتفاع×عرض(mm)	جریان (A)	توان (kW)	قیمت (ریال)	کد کالا	ردیف
مدل GD27، کاربری سنگین						
220/1~ به 220/3~	60×190×155	2.5	0.4	75,700,000	GD27-0R4G-S2-B	1
		4.2	0.75	81,700,000	GD27-0R7G-S2-B	2
220/3~	70×190×155	7.5	1.5	101,900,000	GD27-1R5G-S2-B	3
		10	2.2	110,600,000	GD27-2R2G-S2-B	4
380/3~	60×190×155	2.5	0.75	101,700,000	GD27-0R7G-4-B	5
		3.7	1.5	110,400,000	GD27-1R5G-4-B	6
	70×190×155	5.5	2.2	120,000,000	GD27-2R2G-4-B	7
		7.5	3	138,900,000	GD27-003G-4-B	8
		9.5	4	165,900,000	GD27-004G-4-B	9
	90×235×155	14	5.5	194,200,000	GD27-5R5G-4-B	10
		18.5	7.5	235,300,000	GD27-7R5G-4-B	11
	مدل GD270 ، درایو تخصصی پمپ و فن					
380/3~	89×231×193	3.7	1.5	112,400,000	GD270-1R5-4	12
		5	2.2	127,100,000	GD270-2R2-4	13
		9.5	4	142,400,000	GD270-004-4	14
	89×259×211	13	5.5	169,500,000	GD270-5R5-4	15
		17	7.5	203,600,000	GD270-7R5-4	16
	145×280×207	25	11	248,300,000	GD270-011-4	17
		32	15	296,500,000	GD270-015-4	18
	169×320×214	38	18.5	360,000,000	GD270-018-4	19
		45	22	434,200,000	GD270-022-4	20
	200×341×185	60	30	528,300,000	GD270-030-4	21
		75	37	648,300,000	GD270-037-4	22
	250×400×202	92	45	778,900,000	GD270-045-4	23
		115	55	933,000,000	GD270-055-4	24
	282×560×238	150	75	1,142,000,000	GD270-075-4	25
		180	90	1,385,000,000	GD270-090-4	26
		215	110	1,632,000,000	GD270-110-4	27
	338×554×326	260	132	1,936,000,000	GD270-132-4	28
		305	160	2,206,000,000	GD270-160-4	29
	338×825×386	340	185	2,459,000,000	GD270-185-4	30
		380	200	2,785,000,000	GD270-200-4	31
		425	220	3,216,000,000	GD270-220-4	32
	303×1108×468	460	250	3,685,000,000	GD270-250-4	33
		530	280	3,990,000,000	GD270-280-4	34
	330×1288×544	600	315	4,376,000,000	GD270-315-4	35
		650	355	5,297,000,000	GD270-355-4	36
		720	400	استعلام از شرکت	GD270-400-4-L1	37
	330×1398×544	820	450	استعلام از شرکت	GD270-450-4-L1	38
		860	500	استعلام از شرکت	GD270-500-4-L1	39

مدل GD350-19 ، درایو تخصصی جرثقیل و تاور کرین (چاپر ترمز داخلی)

380/3~	146×256×192	18.5	7.5	309,500,000	GD350-19-7R5G-4-B	40
		25	11	367,100,000	GD350-19-011G-4-B	41
	170×320×220	32	15	434,200,000	GD350-19-015G-4-B	42
		38	18.5	524,800,000	GD350-19-018G-4-B	43
	200×341×208	45	22	635,300,000	GD350-19-022G-4-B	44
		60	30	780,000,000	GD350-19-030G-4-B	45
	250×400×223	75	37	968,000,000	GD350-19-037G-4-B	46
		92	45	1,226,000,000	GD350-19-045G-4-B	47
	282×560×258	115	55	1,479,000,000	GD350-19-055G-4-B	48
		150	75	1,800,000,000	GD350-19-075G-4-B	49
	338×554×330	180	90	2,085,000,000	GD350-19-090G-4-B	50
		215	110	2,504,000,000	GD350-19-110G-4-B	51

مدل GD20 ، کاربری سنگین

220/1~ به 220/3~	80×160×124	2.5	0.4	85,300,000	GD20-0R4G-S2	52
		4.2	0.75	91,800,000	GD20-0R7G-S2	53
	80×185×141	7.5	1.5	111,500,000	GD20-1R5G-S2	54
		10	2.2	127,100,000	GD20-2R2G-S2	55
	146×256×167	13	3	192,000,000	GD20-003G-S2	56
		16	4	207,000,000	GD20-004G-S2	57
380/3~	80×185×141	2.5	0.75	120,000,000	GD20-0R7G-4	58
		4.2	1.5	128,300,000	GD20-1R5G-4	59
		5.5	2.2	143,600,000	GD20-2R2G-4	60
	146×256×167	9.5	4	192,000,000	GD20-004G-4	61
		14	5.5	230,600,000	GD20-5R5G-4	62
	170×320×196	18.5	7.5	277,700,000	GD20-7R5G-4	63
		25	11	322,400,000	GD20-011G-4	64
		32	15	394,200,000	GD20-015G-4	65
	200×341×184	38	18.5	480,000,000	GD20-018G-4	66
		45	22	572,000,000	GD20-022G-4	67
	250×400×202	60	30	706,000,000	GD20-030G-4	68
		75	37	849,500,000	GD20-037G-4	69
	282×560×238	92	45	1,050,000,000	GD20-045G-4	70
				1,102,000,000	GD20-045G-4-B	71
		115	55	1,255,000,000	GD20-055G-4	72
				1,318,000,000	GD20-055G-4-B	73
		150	75	1,502,500,000	GD20-075G-4	74
				1,576,500,000	GD20-075G-4-B	75
338×554×329	180	90	1,770,000,000	GD20-090G-4	76	
			1,859,000,000	GD20-090G-4-B	77	
	215	110	2,096,500,000	GD20-110G-4	78	
			2,202,000,000	GD20-110G-4-B	79	

مدل GD200A ، کاربری سنگین و نرمال

ولتاژ (V)	عمق*ارتفاع*عرض (mm)	نرمال		سنگین		قیمت (ریال)	کد کالا	ردیف
		جریان (A)	توان (kW)	جریان (A)	توان (kW)			
220/1~ به 380/3~	170×320×200			14	5.5	336,500,000	GD200A-5R5G-S24	80
				18.5	7.5	396,500,000	GD200A-7R5G-S24	81
380/3~	126×186×155			2.5	0.75	140,000,000	GD200A-0R7G-4	82
				3.7	1.5	152,000,000	GD200A-1R5G-4	83
				5	2.2	172,000,000	GD200A-2R2G-4	84
	146×256×171	14	5.5	9.5	4	215,300,000	GD200A-004G/5R5P-4	85
		18.5	7.5	14	5.5	260,000,000	GD200A-5R5G/7R5P-4	86
	170×320×200	25	11	18.5	7.5	315,300,000	GD200A-7R5G/011P-4	87
		32	15	25	11	377,700,000	GD200A-011G/015P-4	88
		38	18.5	32	15	445,000,000	GD200A-015G/018P-4	89
	230×342×219	45	22	38	18.5	536,500,000	GD200A-018G/022P-4	90
	255×407×246	60	30	45	22	653,000,000	GD200A-022G/030P-4	91
		75	37	60	30	800,000,000	GD200A-030G/037P-4	92
	270×555×333	92	45	75	37	998,000,000	GD200A-037G/045P-4	93
		115	55	92	45	1,174,000,000	GD200A-045G/055P-4	94
		150	75	115	55	1,412,000,000	GD200A-055G/075P-4	95
	325×680×374	180	90	150	75	1,744,000,000	GD200A-075G/090P-4	96
		215	110	180	90	1,995,000,000	GD200A-090G/110P-4	97
		260	132	215	110	2,446,000,000	GD200A-110G/132P-4	98
	500×870×368	305	160	260	132	2,610,000,000	GD200A-132G/160P-4	99
		340	185	305	160	2,825,000,000	GD200A-160G/185P-4	100
		380	200	340	185	3,120,000,000	GD200A-185G/200P-4	101
		425	220	380	200	3,645,000,000	GD200A-200G/220P-4	102
	680×960×388	480	250	425	220	4,106,000,000	GD200A-220G/250P-4	103
		530	280	480	250	4,500,000,000	GD200A-250G/280P-4	104
		600	315	530	280	5,162,000,000	GD200A-280G/315P-4	105
		650	355	600	315	6,053,000,000	GD200A-315G/355P-4	106
	620×1700×560	720	400	650	355	استعلام از شرکت	GD200A-355G/400P-4	107
			720	400	استعلام از شرکت	GD200A-400G-4	108	
			820	450	استعلام از شرکت	GD200A-450G-4	109	
			860	500	استعلام از شرکت	GD200A-500G-4	110	
1447×1420×442			1060	560	استعلام از شرکت	GD200A-560G-4	111	
			1200	630	استعلام از شرکت	GD200A-630G-4	112	

مدل GD350A ، کاربری‌های پیشرفته

380/3~	126×186×185	5	2.2	3.7	1.5	164,800,000	GD350A-1R5G/2R2P-4	114
		7	3	5	2.2	186,000,000	GD350A-2R2G/003P-4	115
	126×186×201	12.5	5.5	9.5	4	222,400,000	GD350A-004G/5R5P-4	116
		17	7.5	14	5.5	266,000,000	GD350A-5R5G/7R5P-4	117
	146×256×192	23	11	18.5	7.5	309,500,000	GD350A-7R5G/011P-4	118
	170×320×220	32	15	25	11	367,100,000	GD350A-011G/015P-4	119
		38	18.5	32	15	434,200,000	GD350A-015G/018P-4	120
	200×341×208	45	22	38	18.5	524,800,000	GD350A-018G/022P-4	121
		60	30	45	22	635,300,000	GD350A-022G/030P-4	122
	250×400×223	75	37	60	30	780,000,000	GD350A-030G/037P-4	123
		92	45	75	37	967,000,000	GD350A-037G/045P-4	124
	282×560×258	115	55	92	45	1,167,000,000	GD350A-045G/055P-4	125
						1,226,000,000	GD350A-045G/055P-4-B	126
		150	75	115	55	1,408,000,000	GD350A-055G/075P-4	127
						1,479,000,000	GD350A-055G/075P-4-B	128
		170	90	150	75	1,714,000,000	GD350A-075G/090P-4	129
						1,800,000,000	GD350A-075G/090P-4-B	130
	338×554×330	215	110	180	90	1,985,000,000	GD350A-090G/110P-4	131
						2,085,000,000	GD350A-090G/110P-4-B	132
		260	132	215	110	2,385,000,000	GD350A-110G/132P-4	133
						2,504,000,000	GD350A-110G/132P-4-B	134
	500×870×360	305	160	260	132	2,964,000,000	GD350A-132G/160P-4	135
		340	185	305	160	3,305,000,000	GD350A-160G/185P-4	136
		380	200	340	185	3,642,000,000	GD350A-185G/200P-4	137
		425	220	380	200	4,132,000,000	GD350A-200G/220P-4	138

مدل GD350-IP55 ، مخصوص محیط‌های آلوده

380/3~	196×429×227	12.5	5.5	9.5	4	329,500,000	GD350-004G/5R5P-45-NS	139
		17	7.5	14	5.5	370,600,000	GD350-5R5G/7R5P-45-NS	140
	223×504×251	23	11	18.5	7.5	444,800,000	GD350-7R5G/011P-45-NS	141
		32	15	25	11	515,300,000	GD350-011G/015P-45-NS	142
		38	18.5	32	15	600,000,000	GD350-015G/018P-45-NS	143
	274×552×246	45	22	38	18.5	697,700,000	GD350-018G/022P-45-NS	144
		60	30	45	22	838,900,000	GD350-022G/030P-45-NS	145
	318×619×243	75	37	60	30	1,018,000,000	GD350-030G/037P-45-NS	146
		92	45	75	37	1,239,000,000	GD350-037G/045P-45-NS	147
	338×830×290	115	55	92	45	1,456,000,000	GD350-045G/055P-45-NS	148
		150	75	115	55	1,726,000,000	GD350-055G/075P-45-NS	149
	370×825×335	170	90	150	75	1,977,000,000	GD350-075G/090P-45-NS	150

ولتاژ (V)	عمق×ارتفاع×عرض(mm)	جریان(A)	توان (kW)	قیمت (ریال)	کد کالا	ردیف
مدل GD10 ، کاربری نیمه سنگین (با کیپد / بدون کیپد)						
220/1~ به 220/3~	85×146×134	1.6	0.2	63,300,000 / 70,200,000	GD10-0R2G-S2-B	151
		2.5	0.4	69,200,000 / 78,000,000	GD10-0R4G-S2-B	152
	85×145×153	4.2	0.75	75,500,000 / 84,300,000	GD10-0R7G-S2-B	153
	100×171×153	7.5	1.5	96,300,000/105,000,000	GD10-1R5G-S2-B	154
		10	2.2	105,200,000/114,000,000	GD10-2R2G-S2-B	155
380/3~	100×171×153	2.5	0.75	96,000,000/105,000,000	GD10-0R7G-4-B	156
		4.2	1.5	105,000,000/114,000,000	GD10-1R5G-4-B	157
		5.5	2.2	114,800,000/123,600,000	GD10-2R2G-4-B	158
درایو مخصوص موتور تکفاز						
220/1~ به 220/1~	80×160×124	4.2	0.4	93,200,000	GD20-0R4G-SS2	159
		7.2	0.75	107,500,000	GD20-0R7G-SS2	160
	80×185×141	10.2	1.5	124,800,000	GD20-1R5G-SS2	161
		14	2.2	142,400,000	GD20-2R2G-SS2	162
مدل GD350 با ولتاژ 220v						
220/3~	126×186×185	4.2	0.75	190,620,000	GD350-0R7G-2	163
		7.5	1.5	230,040,000	GD350-1R5G-2	164
	126×186×201	10	2.2	241,488,000	GD350-2R2G-2	165
		16	4	279,612,000	GD350-004G-2	166
	146×256×192	20	5.5	324,000,000	GD350-5R5G-2	167
		30	7.5	423,144,000	GD350-7R5G-2	168
مدل GD170-PV ، تغذیه با پنل خورشیدی + ورودی AC برای ژنراتور و ...						
380/3~	80×185×141	9.5	4	163,600,000	GD170-004-4-PV	169
	146×256×167	14	5.5	213,000,000	GD170-5R5-4-PV	170
		18.5	7.5	251,000,000	GD170-7R5-4-PV	171
	146×256×167	25	11	303,600,000	GD170-011-4-PV	172
		32	15	351,000,000	GD170-015-4-PV	173
مدل SPC ، مخصوص تغذیه با پنل خورشیدی - IP65						
380/3~	242×286×111	9.5	4	182,000,000	SPC004TR46-S	174
	263×286×151	17	7.5	242,000,000	SPC7K5TR46-S	175

ردیف	کد کالا	قیمت (ریال)	توان (kW)	جریان (A)	اندوکتانس (μH)	عمق×ارتفاع×عرض (mm)
چوک ورودی اینورتر						
100×180×150	ACL2-004-4	83,000,000	4	11	1340	176
	ACL2-5R5-4	86,000,000	5.5	13	1130	177
120×200×170	ACL2-7R5-4	102,000,000	7.5	16	920	178
	ACL2-011-4	108,000,000	11	21	700	179
	ACL2-015-4	115,000,000	15	29	510	180
	ACL2-018-4	119,000,000	18.5	35	420	181
180×200×210	ACL2-022-4	148,000,000	22	46	320	182
	ACL2-030-4	169,000,000	30	60	250	183
	ACL2-037-4	189,000,000	37	75	210	184
	ACL2-045-4	216,000,000	45	95	160	185
200×225×240	ACL2-055-4	283,500,000	55	124	120	186
	ACL2-075-4	317,000,000	75	156	95	187
	ACL2-090-4	371,000,000	90	182	81	188
	ACL2-110-4	472,000,000	110	230	64	189
200×260×300	ACL2-132-4	520,000,000	132	280	53	190
	ACL2-160-4	594,000,000	160	330	45	191
	ACL2-200-4	661,000,000	200	400	37	192
	ACL2-220-4	729,000,000	220	440	34	193
250×350×350	ACL2-250-4	864,000,000	250	500	30	194
	ACL2-280-4	945,000,000	280	550	27	195
چوک خروجی اینورتر						
100×180×150	OCL2-004-4	83,700,000	4	11	670	196
	OCL2-5R5-4	86,400,000	5.5	13	560	197
110×200×170	OCL2-7R5-4	110,700,000	7.5	16	460	198
	OCL2-011-4	115,000,000	11	21	350	199
	OCL2-015-4	119,000,000	15	29	250	200
	OCL2-018-4	123,000,000	18.5	35	210	201
170×200×200	OCL2-022-4	175,500,000	22	46	160	202
	OCL2-030-4	189,000,000	30	60	123	203
	OCL2-037-4	202,500,000	37	75	98	204
	OCL2-045-4	223,000,000	45	95	77	205
200×230×250	OCL2-055-4	310,000,000	55	124	59	206
	OCL2-075-4	331,000,000	75	156	47	207
	OCL2-090-4	405,000,000	90	182	40	208
	OCL2-110-4	473,000,000	110	230	32	209
220×250×300	OCL2-132-4	554,000,000	132	280	26	210
	OCL2-160-4	600,000,000	160	330	22	211
	OCL2-200-4	662,000,000	200	400	18	212
	OCL2-220-4	729,000,000	220	440	17	213
	OCL2-250-4	864,000,000	250	500	15	214

تجهيزات جانبی

رنج دستگاه	توضیحات	قیمت (ریال)	کد کالا	ردیف
GD10.GD20.GD27	کیپد (نمایشگر)	9,000,000	GD KY1	215
GD20, GD27	کیپد با قابلیت کیپی و انتقال تنظیمات	11,000,000	GD KY2	216
GD200-270-350	کیپد LED	14,280,000	GD-LED KY	217
GD200A	کیپد LCD	55,100,000	GD-LCD KY1	218
GD350, GD270		73,200,000	GD-LCD KY2	219
GD10.GD20.GD27	قاب نصب کیپد (براکت)	3,300,000	Bracket-1	220
GD200-270-350		3,300,000	Bracket-2	221
160kW	DBU Series Dynamic braking unit: %100 Loading at 5 minutes (De-rate for longer time loading) <u>Parallel Connection</u> is available	230,000,000	DBU-160-4	222
220kW		260,000,000	DBU-220-4	223
315kW		290,000,000	DBU-315-4	224
75kW	DBU100H Series Dynamic braking unit (%100 Loading continuously) <u>Parallel Connection</u> is available	265,000,000	DBU100H-110-4	225
110kW		274,000,000	DBU100H-160-4	226
132kW		320,000,000	DBU100H-220-4	227
200kW		400,000,000	DBU100H-320-4	228
GD270	Relay Card	26,000,000	EC-IO503-00	229
GD350, GD270	IO expansion card	26,600,000	EC-IO501-00	230
GD350	PT100 & PT1000 IO expansion card	23,800,000	EC-IO502-00	231
GD350	Programmable expansion card (PLC)	136,000,000	EC-PC502-00	232
GD350	Power Supply expansion card	34,000,000	EC-PS501-24	233
GD350, GD270	4G IOT card	65,000,000	EC-IC502-2	234
GD350, GD270	GPRS IOT card	60,770,000	EC-IC501-2	235
GD350 ≤ 75kW	Bluetooth Communication Card	41,000,000	EC-TX501-1	236
GD350 ≥ 90kW		41,000,000	EC-TX501-2	237
GD350 ≤ 75kW	Wi-Fi Communication Card	41,000,000	EC-TX502-1	238
GD350 ≥ 90kW		49,500,000	EC-TX502-2	239
GD350, GD270	PROFIBUS-DP Communication Card	130,000,000	EC-TX503	240
GD350, GD270	Ethernet Communication Card	42,400,000	EC-TX504	241
GD350, GD270	Master/Slave + CANopen Communication	135,200,000	EC-TX505C	242
GD350, GD270	PROFINET Communication Card	130,000,000	EC-TX509	243
GD350	EtherCAT Communication Card	128,000,000	EC-TX508	244
GD350	Ethernet/IP Communication Card	50,600,000	EC-TX510	245
GD350	Modbus TCP Communication Card	59,000,000	EC-TX515	246
GD350	Sin/Cos PG card	49,500,000	EC-PG502	247
GD350	UVW PG Card	63,000,000	EC-PG503-05	248
GD350	Resolver PG Card	56,500,000	EC-PG504-00	249
GD350	Multi-function PG Card (5v / 12v)	54,000,000	EC-PG505-12	250
GD350	Multi-function PG Card (24v)	54,000,000	EC-PG505-24	251
GD350	Simple PG Card (5v / 12v)	36,000,000	EC-PG507-12	252
GD350	Simple PG Card (24v)	39,500,000	EC-PG507-24	253